



Reporte mensual IARUMS URE Febrero 2021

SOC: URE - EA6AMM, Gaspar

| kHz | UTC | DD | MM | ITU | IDENT | MODE | BD /sps | SH / BW | DETAILS |
|--------|-------------|-----------|----|-----|-------|-------|---------|---------|--|
| 6997 | 1853 | 04 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7000 | 1611 | 13 | 02 | | | XXX | | ca 3KOE | Digital bursts |
| 7000 | 1814 | 20 | 02 | | | J3E-U | | | UI st talking. Male voices. Asian lang. |
| 7000 | 1758 | 21 | 02 | | | J3E-U | | | UI sts Talking. Male voices. Arabic lang. |
| 7004 | 1828 | 20 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7007 | 1621 | 05 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7010 | 1636 | 03 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7010 | 1659 | 21 | 02 | | | J3E-L | | | UI sts talking. Male voices. Asian lang. |
| 7012 | 1557 | 16 | 02 | | | F1B | 75 | 250H | |
| 7014 | 1559 | 17 | 02 | | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 7015 | 1646 | 15 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7016 | 1919 | 14 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7020 | 1840 | 15 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7021 | 1722 | 06 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7029 | 1907 | 09 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7032 | 1753 | 21 | 02 | | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 7033 | 1907 | 04 | 02 | | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 7035 | 1901 | 08 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7037 | 1909 | 04 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7047 | 1808 | 17 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7050 | 1557 | 03 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7051 | 2038 | 06 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7055 | 0702 vt | 08 vd | 02 | | | J3E-L | | | Speech, music, loops, insults, propaganda. UKR/RUS "radiowar. Often |
| 7058 | 2027 vt* | 01 vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 15/02, 1903 UTC. 27/02, 1904 UTC |
| 7060 | 0659 | 26 | 02 | | | J3E-L | | | Speech, loops, propaganda, UKR/ RUS "radiowar" |
| 7061 | 1553 | 22 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7062 | 0820 | 03 vd* | 02 | | | J3E-U | | | Numbers st "S06s". RUS lang. Female voice. USB + carrier. TX ends at 0835 UTC.*Every Wednesday |
| 7062 | 1822 | 09 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7063 | 1741 | 21 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7064 | 1610 vt* | 05 vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 08/02, 1905 UTC |
| 7064 | 1922 | 16 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. 2 simultaneous TX on 40m: 7064 + 7108 kHz |
| 7065 | 1547 | 15 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7074.4 | 1756 vt | 02 vd | 02 | | | A1N | | | CW. Series of 16 dashes. *Also on 05/02, 1617 UTC (Continuous dashes) |
| 7074.8 | 0726 vt | 02 vd | 02 | | | A1N | | | CW. Series of 16 dashes. Often |
| 7075 | 0949 | 03 | 02 | | | A1N | | | CW. Series of 16 dashes. Often |

| | | | | | | | | | |
|--------|-------------|-----------|----|--|--|-------|-------|---------|--|
| | vt | vd | | | | | | | |
| 7085 | 1801 | 01 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7087 | 1721 | 26 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7088 | 2159 | 15 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7095 | 1609 | 03 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7096 | 1654 | 21 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7099 | 1932 | 19 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7100 | 1847 | 02 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7101 | 1626 | 05 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7102 | 1713 | 05 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7102 | 1440 | 09 | 02 | | | F1B | 75 | 250H | |
| 7102 | 1827 | 22 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7105 | 1743 | 06 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7105 | 1835 | 26 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7107 | 1916 vt* | 10 vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 17/02, 1835 UTC |
| 7108 | 2310 vt* | vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 18/02, 2125 UTC |
| 7108 | 1922 | 16 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. 2 simultaneous TX on 40m: 7108 + 7064 kHz |
| 7109 | 2136 vt* | 09 vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 11/02 1741 UTC |
| 7109 | 2038 | 11 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7109.6 | 1623 | 16 | 02 | | | G7D | 60 | 2K50E | CHN30 |
| 7111 | 1703 vt* | 16 vd* | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn". *Also on 18/02, 2017 UTC |
| 7112 | 1800 | 17 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7118 | 1834 | 09 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7118 | 1735 | 15 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7120 | 1640 | 21 | 02 | | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 7121 | 1841 | 14 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. 2 simultaneous TX on 40m: 7121 + 7016 kHz |
| 7122 | 1750 | 21 | 01 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7123 | 1715 | 13 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7124 | 1750 | 03 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7124 | 1610 | 22 | 02 | | | RADAR | 40 | 12KOE | othr contayner. 2 simultaneous TX on 40m: 7124 + 7061 kHz |
| 7125 | 1823 vt* | 07 vd* | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. *Also on 13/02, 1801 UTC |
| 7126.7 | 0730 vt* | 12 vd* | 02 | | | XXX | | ca 2KOE | UI digital signal. Several carriers. Spacement = 50 Hz. Also on 13, 14, 15/02. Morning hours. Long-lasting |
| 7127 | 1613 | 03 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7127 | 1942 | 23 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 7128 | 1724 | 05 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7128 | 0730 vt* | 12 vd* | 02 | | | XXX | | ca 3KOE | UI digital signal. Long-lasting. *Also on 13/02, 0738 UTC |
| 7129 | 1759 | 19 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7131 | 1837 vt* | 02 vd* | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn". *Also on 13/02, 1955 UTC |
| 7132 | 1542 | 03 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 7134 | 1746 | 11 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7136 | 1901 | 02 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 7137 | 2026 | 10 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner. 2 simultaneous TX on 40m: 7137 + 7184 kHz |

| | | | | | | | | | |
|----------|-------------|-----------|----|--|--|-------|-------|---------|---|
| 7137 | 1910 | 15 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 7139.5 | 0747 | 16 | 02 | | | F1B | 50 | 200H | |
| 7140.02 | 1614 vt | 05 vd | 02 | | | A3E | | | AM. BC "VoBM1". Daily |
| 7143.3 | 1749 | 19 | 02 | | | G7D | | 2K50E | CHN 30 aka PRC 30 |
| 7144 | 1802 | 05 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7146 | 1954 | 13 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7147 | 1629 | 03 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7148 | 1956 | 24 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7150 | 1750 | 28 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7151 | 1937 | 23 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7160 | 1940 | 23 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7156 | 1743 | 11 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 7157 | 1746 | 06 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7162 | 1748 | 15 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7166 | 1835 | 02 | 02 | | | RADAR | 41.6 | 10K0E | Short bursts. "Foghorn" |
| 7168 | 1718 | 02 | 03 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7168 | 0727 | 16 | 02 | | | F1B | | 250H | |
| 7170 | 0809 | 16 | 02 | | | F1B | | 200H | |
| 7171 | 1618 vt* | 15 vd* | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner. *Also on 17/12, 1912 UTC |
| 7173 | 2021 | 24 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7174 | 1628 | 03 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 7177 | 1630 | 13 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7178 | 2209 | 13 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7179 | 0741 vt | 03 vd* | 02 | | | J7D | 120 | 2K60E | CIS-12. With a carrier at 7177.32 kHz. All day long. *Also on 04/02. 27/02, 0826 UTC |
| 7180 | 1643 | 2102 | | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 7180.02 | 1615 vd | 05 vt | 02 | | | A3E | | | AM. BC. "VoBM2". Daily |
| 7182 | 1652 | 21 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 7183 | 1946 | 13 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7184 | 2026 | 10 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayer. 2 simultaneous TX on 40m: 7184 + 7137 kHz |
| 7187 | 1556 | 17 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 7188 | 1650 vt* | 02 vd* | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner. Also on 06/02, 1550 UTC. 26/02, 1937 UTC |
| 7197.5 | 1838 | 17 | 02 | | | XXX | | ca 1K0E | Continuous & long - lasting |
| 7198 | 1525 | 08 | 02 | | | J7D | 120 | 2K60E | CIS-12 |
| 7205 | 1948 vt | 13 vd | 02 | | | A3E | | | BC. "RFI": splatter to 7192 kHz. Often |
| 14000 | 0909 | 09 | 02 | | | NON | | | Carrier. Long-lasting. |
| 14001.5 | 0719 | 08 | 02 | | | XXX | 2400 | 2K40E | ISR Navy hybrid modem |
| 14011 | 0931 | 01 | 02 | | | F1B | | 250H | |
| 14011.3 | 0826 | 16 | 02 | | | F1B | | 500H | |
| 14017 | 0800 | 06 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14026 | 0753 | 19 | 02 | | | RADAR | 50 | 10K0E | OTHR. Long - lasting |
| 14045.5* | 0733 vt | 03 vd | 02 | | | XXX | | ca 2K0E | Broken sys. Drifting. *Often around 14045.5 kHz CF |
| 14046 | 0755 | 05 | 02 | | | RADAR | 50 | 20K0E | Short bursts. "Foghorn" |

| | | | | | | | | | |
|---------|-------------|-----------|----|--|--|-------|-------|-------------|--|
| 14052 | 0819 vt* | 03 vd* | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn". *Also on 17/02, 0658 UTC |
| 14053 | 0955 | 21 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14056 | 0835 | 15 | 02 | | | RARAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14064 | 0756 | 06 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14086 | 0813 | 17 | 02 | | | J7D | 120 | 2K60E | CIS-12 |
| 14086 | 1032 | 23 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14088 | 0824 | 19 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14089 | 0730 | 19 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14099 | 0827 | 06 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14113 | 0801 | 24 | 02 | | | RADAR | 10 | 40KOE | OTHR |
| 14115 | 0825 | 09 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14116 | 0753 | 16 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14117.9 | 0752 | 05 | 02 | | | J7D | 120 | 2K60E | CIS-12 |
| 14123 | 0846 | 03 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14123 | 0754 | 12 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14126 | 0705 | 05 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14127 | 0749 | 12 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14139 | 0818 | 03 | 02 | | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14152 | 0711 | 08 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14154 | 0819 | 15 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14160 | 0734 | 04 | 02 | | | RADAR | 10 | 160KOE | Wideband OTHR. Alternating TX on 14173 kHz CF. BD 50 sec. BRI = 1.5 min |
| 14167 | 0824 | 06 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14170 | 0700 | 17 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14170 | 0618 | 22 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14173 | 0734 | 04 | 02 | | | RADAR | 10 | 160KOE | Wideband OTHR. Alternating TX on 14160 kHz CF. BD 50 sec. BRI = 1.5 min |
| 14175 | 0915 | 20 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14180 | 0925 | 01 | 02 | | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14180 | 0720 | 05 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14183 | 0754 | 15 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14184 | 0818 | 15 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14186 | 0819 | 04 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14186 | 0747 | 06 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14186 | 0726 vt* | 15 vd* | 02 | | | F1B | 50 | 500H | *Also on 19/02, 0808 UTC |
| 14188 | 0726 | 03 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14189* | 0900 | 10 | 02 | | | RADAR | 40 | ca 12KOE | OTHR. Short TX (1-3 min) & Fast QSY. *Affected CF QRG 14182, 14192,14200, 14190, 14171 kHz |
| 14189 | 1038 | 12 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14192 | 0820 | 05 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14192 | 0836 | 05 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14198 | 0759 | 21 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14200 | 0912 | 02 | 02 | | | RADAR | 10 | 160KOE | Wideband OTHR. Alternating TX in 14200 and 14275 kHz. BD ca 50 sec. BRI ca 1.5 min |
| 14200 | 0817 | 05 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 14204 | 0905 | 09 | 02 | | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14204 | 0704 | 26 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14211 | 0821 | 28 | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14217 | 0758 vt* | 05 vd* | 02 | | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn". *Also on 09/02, 0825 UTC. 17/02, 0817 UTC |
| 14217 | 0810 | 10 | 02 | | | RADAR | 10 | 40KOE | OTHR. Long - lasting |

| | | | | | | | | |
|---------|-------------|-----------|----|--|-------|-------|---------|---|
| 14220 | 0832 | 20 | 02 | | J7D | | 2K60E | CIS-12. Idling |
| 14220 | 0726 | 24 | 02 | | RADAR | 10 | 40KOE | OTHR |
| 14221 | 0900 | 24 | 02 | | RADAR | 66.66 | 10KE | Short bursts. "Foghorn" |
| 14224 | 0739 | 12 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14224 | 0813 | 19 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14225 | 0946 | 03 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14226 | 0937 | 12 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14228 | 0712 | 17 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14230 | 0831 | 03 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14231 | 0752 | 03 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14231 | 0809 | 05 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14240 | 0850 | 23 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14243 | 0755 | 23 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14244 | 0718 | 25 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR. |
| 14246 | 0731 vt* | 02 vd* | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn". *Also on 08/02, 0714 UTC |
| 14248 | 0833 | 09 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14248 | 1010 | 14 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14258 | 0715 vt* | 15 vd* | 02 | | F1B | 50 | 500H | *Also on 19/02, 0750 UTC |
| 14248.5 | 0708 | 08 | 02 | | F1B | 600 | 600H | DPRK-FSK 600 ARQ |
| 14254 | 0613 | 22 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14255 | 0758 | 20 | 02 | | RADAR | 50 | 10KOE | OTHR. Long - lasting |
| 14259 | 0913 | 09 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14260 | 0813 | 23 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14260 | 0820 | 23 | 02 | | RADAR | 50 | 10KOE | OTHR. Long - lasting |
| 14261 | 0833 | 08 | 02 | | RADAR | 50 | 10k0e | OTHR. Long - lasting |
| 14267 | 0730 | 02 | 02 | | RADAR | 50 | 10KOE | OTHR. Long - lasting |
| 14267 | 0809 | 03 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14270 | 0749 | 06 | 02 | | J7D | | 2K60E | CIS-12. Idling. |
| 14271 | 0643 | 22 | 02 | | RADAR | 50 | 10KOE | OTHR. Long - lasting |
| 14273 | 0954 | 03 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14275 | 0905 | 02 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14285 | 0729 | 11 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14286 | 0731 vt* | 05 vd* | 02 | | RADAR | 20 | 10KOE | OTHR. Also on 06/02, 0807 UTC |
| 14286 | 0821 | 28 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14287 | 0909 | 12 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14288 | 0901 | 01 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14289 | 0755 | 19 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14289 | 0849 | 19 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14290 | 0756 | 15 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14291 | 0934 | 27 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14292 | 0843 | 10 | 02 | | XXX | | ca 500H | UI digital signal. Long-lasting |
| 14293 | 0738 | 15 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |
| 14294 | 0733 | 19 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14295 | 0828 vt* | 02 vd* | 01 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn". *Also on 08/06, 0724 UTC |
| 14298 | 0952 | 03 | 02 | | RADAR | 41.6 | 10KOE | Short bursts. "Foghorn" |
| 14298 | 0952 | 13 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14299 | 0934 | 21 | 02 | | RADAR | 66.66 | 10KOE | Short bursts. "Foghorn" |
| 14300 | 0724 | 05 | 02 | | RADAR | 10 | 160KOE | Wideband OTHR |
| 14300 | 0823 | 05 | 02 | | RADAR | 50 | 10KOE | Short bursts. "Foghorn" |

| | | | | | | | | | |
|----------|----------|--------|--------|--|--|-------|----------|--------|--|
| 14301.9 | 0719 | 03 vt* | 02 vd* | | | W7D | | 2K80E | OFDM. *Also on 04/03, 0743 UTC. 19/02, 0728 UTC |
| 14302 | 0801 | 05 | 02 | | | RADAR | 40 | 12K0E | OTHR Contayner |
| 14302 | 0804 | 06 | 02 | | | RADAR | 10 | 160K0E | Widewband OTHR |
| 14302 | 0759 | 16 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14303 | 0845 | 13 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14304 | 0955 | 13 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14305 | 0724 vt* | 10 vd* | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn". *Also on 21/02, 0933 UTC |
| 14305 | 1032 | 23 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14307 | 0818 | 09 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14308 | 0820 vt* | 02 vd* | 02 | | | F1B | 75 | 500H | *Also on 08/02, 0734 UTC. 19/02, 0856 UTC |
| 14309 | 0740 | 11 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14309 | 0655 | 17 | 02 | | | RADAR | 50 | 10K0E | OTHR. Long - lasting |
| 14310 | 0707 | 26 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14311 | 0737 | 12 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14313 | 0853 | 20 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14316 | 0905 | 10 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14317 | 0736 | 19 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14320 | 0936 | 09 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14322 | 0815 vt* | 06 vd* | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn". *Also on 08/02, 0727 UTC |
| 14323 | 0901 | 09 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14323 | 0842 | 17 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14325 | 0846 | 24 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14326 | 0747 | 15 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR |
| 14332 | 0801 | 03 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14335 | 0812 | 25 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14337 | 0731 | 23 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14340 | 0758 | 14 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. |
| 14328 | 0739 | 25 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR |
| 14342 | 0757 | 12 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR |
| 14345 | 0803 | 05 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 14345 | 0931 | 21 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14348 | 0940 | 09 | 02 | | | RADAR | 50 66 | 10K0E | Short bursts. "Foghorn". Alternating sps |
| 14351 | 0822 | 13 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |
| 14358* | 0858 | 25 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. *14278 to 14350 kHz affected |
| 14377* | 0853 | 12 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. *14297 to 14350 kHz affected |
| 14373* | 0940 | 12 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. Alternating TX on 14383 kHz CF. BD 50 sec. BRI 1.5 min. *14293 to 14350 kHz affected. |
| 14383* | 0939 | 12 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. Alternating TX on 14373 kHz CF. BD 50 sec. BRI 1.5 min. *14303 to 14350 kHz affected |
| 14395* | 0822 | 28 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. *14315 to 14350 kHz affected. |
| 14398* | 1130 | 24 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR. *14318 to 14350 kHz affected. |
| 14407* | 0814 | 09 | 02 | | | RADAR | 10 | 160K0E | Wideband OTHR *14327 to 14350 kHz affected |
| 18080.9 | 0819 | 06 | 02 | | | J3E-U | | | Fishery. Male voices. Arabic lang |
| 18085 | 0828 | 05 | 02 | | | RADAR | 20 | 10K0E | OTHR |
| 18109.17 | 1630 | 05 | 02 | | | A3E | | | AM. BC. Arabic lang. Music and speech. |
| 18123 | 0905 | 19 | 02 | | | RADAR | 50 | 10K0E | Short bursts. "Foghorn" |
| 18135 | 0843 | 20 | 02 | | | RADAR | 66.66 | 10K0E | Short bursts. "Foghorn" |

| | | | | | | | | | |
|-------|-------------|-----------|----|--|-----|-------|------------|-------------|---|
| 18149 | 0929 | 09 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 18170 | 1154 | 04 | 02 | | | RADAR | 25 | 20KOE | OTHR Pluto |
| 18170 | 0854 | 13 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 18171 | 0837 | 12 | 02 | | | RADAR | 25 | 20KOE | OTHR Pluto |
| 18175 | 0956 | 19 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21150 | 1045 | 16 | 02 | | | J3E-U | | | Non-amateur comms. RUS lang. Male voice. Long - lasting |
| 21150 | 1045 | 16 | 02 | | | XXX | | ca 3k50E | Ui signal. Carriers, spacement = 100 Hz. Long - lasting |
| 21164 | 1217 | 16 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 21165 | 0943 | 04 | 02 | | | RADAR | 40 | 12KOE | OTHR Contayner |
| 21170 | 0743 | 11 | 02 | | | RADAR | 25 | 20KOE | OTHR Pluto |
| 21170 | 0722 | 20 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21271 | 0841 | 20 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21330 | 1033 | 16 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21365 | 0815 | 04 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21370 | 0939 | 21 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 21430 | 0818 vt* | 19 vd* | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto. *Also on 20/02, 0847 UTC |
| 21438 | 0831 vt | 02 vd | 02 | | RCV | A1A | 19 | | "RCV" QTCs. Daily |
| 21450 | 1031 | 16 | 02 | | | RADAR | 50 | 20KOE | OTHR Pluto |
| 28860 | 1037 | 16 | 02 | | | RADAR | 150 313 | ca 45KOE | OTHR |